

R1100S - Applications



Concrete



Demolition debris

Limestone – 1 final product



Limestone – 2 final products



Asphalt



R1100S - Job stories

Material:	CONCRETE
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 40mm / 0 - 1 1/2"
*Performance:	Up to 180 t/h / 200 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.



R1100S - Job stories

Material:	DEMOLITION DEBRIS
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 70mm / 0 - 2 3/4"
*Performance:	Up to 260 t/h / 290 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.



R1100S - Job stories

Material:	LIMESTONE
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 35 mm / 0 - 1 3/8"
*Performance:	Up to 150 t/h / 170 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.



R1100S - Job stories

Material:	LIMESTONE
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 45 mm / 0 - 1 3/4"
*Performance:	Up to 275 t/h / 300 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.



R1100S - Job stories

Material:	ASPHALT
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 22 mm / 0 - 7/8"
*Performance:	Up to 200 t/h / 220 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.

