

R1100DS - Applications



Asphalt



Concrete



Limestone



Concrete track balast



Demolition debris

R1100DS - Job stories

Material:	DEMOLITION DEBRIS
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 32 mm / 0 - 1 1/4"
*Performance:	Up to 220 t/h / 240 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.



R1100DS - Job stories

Material:	CONCRETE
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 32 mm / 0 - 1 1/4"
*Performance:	Up to 200 t/h / 220 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.



R1100DS - Job stories

Material:	CONCRETE
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 50 mm / 0 - 2"
*Performance:	Up to 250 t/h / 280 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.



R1100DS - Job stories

Material:	ASPHALT
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 22 mm / 0 - 7/8"
*Performance:	Up to 200 t/h / 220 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.



R1100DS - Job stories

Material:	LIMESTONE
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 35 mm / 0 - 1 3/8 "
*Performance:	Up to 250 t/h / 280 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.



R1100DS - Job stories

Material:	LIMESTONE
Feeding size:	0 - 700 mm / 0 - 28"
Final product size:	0 - 50 mm / 0 - 2 "
*Performance:	Up to 260 t/h / 290 st/h

*Crusher performance depends on machine settings, material, feeding size, feeding rate.

